



## RT6-6117004

Bundle, Cobot, TM7S-MX (model without camera), HW5.0

|                                               |                                                                          |
|-----------------------------------------------|--------------------------------------------------------------------------|
| Hardware version                              | 5.0                                                                      |
| Payload                                       | 7 kg                                                                     |
| Reach                                         | 700 mm                                                                   |
| Communication port(s)                         | Ethernet TCP/IP, MODBUS Master, MODBUS Slave, MODBUS/TCP, Serial RS-232C |
| Speed (typical)                               | 1.1 m/s                                                                  |
| Maximum speed                                 | 4 m/s                                                                    |
| Repeatability                                 | 0.03 mm                                                                  |
| Power supply type                             | DC                                                                       |
| Vision                                        | ✗                                                                        |
| SEMI S2 certified                             | ✗                                                                        |
| Food grade grease                             | ✗                                                                        |
| Degree of protection (IP)                     | IP54                                                                     |
| SIL according to IEC 61508                    | 3                                                                        |
| Performance level according to EN ISO 13849-1 | Level d                                                                  |
| Cable length                                  | 1.5 m                                                                    |
| Number of joints                              | 6                                                                        |
| Suitable for pedestal/floor mounting          | ✓                                                                        |
| Suitable for ceiling mounting                 | ✓                                                                        |
| Suitable for wall mounting                    | ✓                                                                        |

|                                                                                    |                    |                                                         |
|------------------------------------------------------------------------------------|--------------------|---------------------------------------------------------|
|    | <b>RT6-A000000</b> | Accessory, TM, ROBOT STICK STAND                        |
|    | <b>RT6-A000002</b> | Accessory, TM, Kit, Calibration Set with Additional Pin |
|                                                                                    | <b>RT6-A000004</b> | Accessory, TM, USB DONGLE                               |
|   | <b>RT6-A000008</b> | Accessory, TM, TM LAND MARK                             |
|    | <b>RT6-A000010</b> | Accessory, TM, MOBILE WORKSTATION(MWS)                  |
|   | <b>RT6-A000012</b> | Accessory, TM, Kit, SSD with Cable                      |
|  | <b>RT6-A000021</b> | Accessory, OMRON LAND MARK                              |
|                                                                                    | <b>RT6-S100000</b> | License, Software, TM Identify & Measure                |
|                                                                                    | <b>RT6-S100002</b> | License, Software, TM External Vision                   |
|                                                                                    | <b>RT6-S100003</b> | License, Software, TM OCR                               |
|                                                                                    | <b>RT6-S100005</b> | License, Software, TMFlow Editor - Offline AOI          |
|                                                                                    | <b>RT6-S200001</b> | License, TMFlow Editor                                  |

## ROBOT 6MTH WRTY EXT LB COBOT

After Sales Robotic Services - 6 Months Warranty Extension Package for Labor Collaborative Robot (Labor and Travelling costs included, Warranty Extension package requires Basic and/or Registered warranty)

## ROBOT 6MTH WRTY EXT SP COBOT

After Sales Robotic Services - 6 Months Warranty Extension Package for Spare Parts Collaborative Robot (Warranty extension package requires Basic and/or Registered warranty)

## Dosya indirme



### Collaborative Robots TM25S & TM30S Kitapçık

EN PDF 576 KB



### OMRON TM Collaborative Robot - S Series

Broşür

TR PDF 6,76 MB



### Panasonic CR-series button cells

Pil Emniyeti Veri Sayfası

EN PDF 65,9 KB



### TM Collaborative Robot S Series Güvenlik Kılavuzu

EN PDF 2,99 MB



### TM Collaborative Robot S Series: Touch Screen Kullanıcı Kılavuzu

EN PDF 1,41 MB



### TM Flow Installation - Version 2.18.3300

Yazılım

EN ZIP 1,68 GB



### TM25 Collaborative Robot Kitapçık

EN PDF 264 KB



### TM5S/7S/12S/14S/25S Collaborative Robot S- series

Veri Sayfası

EN PDF 3,94 MB